

**EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21259	pressure near3 (sens\$3 or detect\$3 or monitor\$3 or probe or transducer or measur\$5) and cylinder and internal near2 combustion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 12:18
L2	2281	pressure near3 (sens\$3 or detect\$3 or monitor\$3 or probe or transducer or measur\$5) near10 (spark near3 plug or fuelnear3 injector or glow near2 plug)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 12:19
L3	1148	land 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 12:19
L4	435	land 2 near25 cylinder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 12:20
L5	32	pressure near3 (sens\$3 or detect\$3 or monitor\$3 or probe or transducer or measur\$5) near10 (spark near3 plug or fuelnear3 injector or glow near2 plug) near10 wall	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 12:27

L6	387	pressure near3 (sens\$3 or detect\$3 or monitor\$3 or probe or transducer or measur\$5) near 10 (cylinder) near 10 wall	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2009/03/19 13:26
L7	91	land 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2009/03/19 13:26
L8	5156	pressure near3 (sens\$3 or detect\$3 or monitor\$3 or probe or transducer or measur\$5) near 10 cylinder and internal near2 combustion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2009/03/19 13:34
L9	587	8 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2009/03/19 13:35
L10	571	9 NOT 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2009/03/19 13:37
L11	25	9 AND COLLAR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2009/03/19 14:23
L12	1394	pressure near3 (sens\$3 or detect\$3 or monitor\$3 or probe or transducer or measur\$5) SAME cylinder SAME internal near2 combustion.AB,TL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2009/03/19 14:44

L13	3568	(PIEZOELECTRIC\$4 OR pressure near3 (sens\$3 or detect\$3 or monitor\$3 or probe or transducer or measur\$5)) near10 (spark near3 plug or fuelnear3 injector or glow near2 plug)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 14:45
L14	137	12 AND 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 14:45
L15	809	13 SAMEcylinder and internalnear2 combustion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 14:52
L16	686	15 NOT 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 14:52
L17	305	16 NOT 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 14:53
L18	2	"5329809".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 16:12
L19	1	"5823802".PN. AND SPARK	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 16:22
L20	6	"5823802".UREF,BL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 16:24

3/19/09 5:22:29 PM